

**Amendments to Claims:**

This listing of claims will replace all prior versions and listings of claims in the application:

1. (Currently Amended) A product for underarm application, the product including an application surface that contacts the underarm during use of the product, the product comprising a container, and

a first product portion having a first composition and a second product portion having a second composition different in color and firmness from the first composition within the container, the firmer portion providing support to the other portion when both portions are extended from the container, the first composition comprising an aluminum-zirconium antiperspirant salt and the second composition comprising an aluminum-zirconium antiperspirant salt wherein each aluminum-zirconium antiperspirant salt independently includes mixtures or complexes of aluminum salts having the formula  $Al_2(OH)_{6-a}X_a$ , wherein X is Cl, Br, I or  $NO_3$  and a is about 0.3 to about 5, and zirconium salts having the formula  $ZrO(OH)_{4-pb}Y_b$ , wherein Y is Cl, Br, I,  $NO_3$ , or  $SO_4$ , b is about 0.8 to about 4, and p is in the valence of Y, the first composition and the second composition each independently comprising at least 15% of the application surface.

2-4. (Cancelled)

5. (Original) The product of claim 1, wherein the second composition is in the form of a lengthwise-extending stripe extending approximately from a first end of the application surface to a second end of the application surface.

6. (Cancelled)

7. (Previously Presented) The product of claim 1, wherein the application surface consists of the first composition and the second composition.

8. (Previously Presented) The product of claim 1, wherein the first composition comprises a volatile silicone, a high melting wax, from 0% to 10% by weight of a hydrophilic vehicle, and from 6 USP weight percent to 25 USP weight percent of the antiperspirant salt, and the second composition comprises a volatile silicone, a high melting wax, from 0% to 10% by weight of a hydrophilic vehicle, and from 6 USP weight percent to 25 USP Weight percent of the antiperspirant salt.

9. (Currently Amended) A product for underarm application, the product including an application surface that contacts the underarm during use of the product, the product comprising a container, and

a first product portion having a first composition and a second product portion having a second composition different in color and firmness from the first composition within the container, the firmer portion providing support to the other portion when both portions are extended from the container, the first composition comprising at least 6 USP weight percent of an aluminum-zirconium antiperspirant salt and the second composition comprising at least 6 USP weight percent of an aluminum-zirconium antiperspirant salt wherein each aluminum-zirconium antiperspirant salt independently includes mixtures or complexes of aluminum salts having the formula  $Al_2(OH)_{6-a}X_a$  wherein X is Cl, Br, I or  $NO_3$  and a is about 0.3 to about 5, and zirconium salts having the formula  $ZrO(OH)_{4-pb}Y_b$  wherein Y is Cl, Br, I,  $NO_3$ , or  $SO_4$ , b is about 0.8 to about 4, and p is in the valence of Y, and wherein , both the first composition and the second composition form part of the application surface.

10. (Cancelled).

11. (Previously Presented) The product of claim 9, wherein either the first composition or the second composition is in the form of a lengthwise-extending stripe extending approximately from a first end of the application surface to a second end of the application surface.

12. (Cancelled).

13. (Previously Presented) The product of claim 9, wherein the first composition comprises a volatile silicone, a high melting wax, from 0% to 10% by weight of a hydrophilic vehicle, and from 6 USP weight percent to 25 USP weight percent of an antiperspirant salt, and the second composition comprises a volatile silicone, a high melting wax, from 0% to 10% by weight of a hydrophilic vehicle, and from 6 USP weight percent to 25 USP weight percent of the antiperspirant salt by weight.

14-15. (Cancelled).

16. (Currently Amended) A product for underarm application, the product including an application surface that contacts the underarm during use of the product, the product comprising a container, and

a first product portion having a first composition and a second product portion having a second composition different in color and firmness from the first composition within the container, the firmer portion providing support to the other portion when both portions are extended from the container, the first composition comprising an aluminum-zirconium antiperspirant salt and the second composition comprising an aluminum-zirconium antiperspirant salt, wherein each aluminum-zirconium antiperspirant salt independently includes mixtures or complexes of aluminum salts having the formula  $Al_2(OH)_{6-a}X_a$  wherein X is Cl, Br, I, or  $NO_3$  and a is about 0.3 to about 5, and zirconium salts having the formula  $ZrO(OH)_{4-pb}Y_b$  wherein Y is Cl, Br, I,  $NO_3$ , or  $SO_4$ , b is about 0.8 to about 4, and p is in the valence of Y, the application surface consisting of the first composition and the second composition.

17. (Currently Amended) A product for underarm application, the product including an application surface that contacts the underarm during use of the product, the product comprising a container, and

a first product portion having a first composition and a second product portion having a second composition different in color and firmness from the first composition within the container, the firmer portion providing support to the other portion when both portions are extended from the container, the first composition comprising a volatile silicone and the second composition comprising a volatile silicone and an aluminum-zirconium antiperspirant salt, wherein the aluminum-zirconium antiperspirant salt includes mixtures or complexes of aluminum salts having the formula  $Al_2(OH)_{6-a}X_a$  wherein X is Cl, Br, I or  $NO_3$  and a is about 0.3 to about 5, and zirconium salts having the formula  $ZrO(OH)_{4-pb}Y_b$  wherein Y is Cl, Br, I,  $NO_3$ , or  $SO_4$ , b is about 0.8 to about 4, and p is in the valence of Y, , the first composition and the second composition each independently comprising at least 15% of the application surface.

18. (Previously Presented) The product of claim 17, wherein the first composition further comprises an aluminum-zirconium antiperspirant salt, wherein the aluminum-zirconium antiperspirant salt includes mixtures or complexes of aluminum salts having the formula  $Al_2(OH)_{6-a}X_a$  wherein X is Cl, Br, I or  $NO_3$  and a is about 0.3 to about 5, and zirconium salts having the formula  $ZrO(OH)_{4-pb}Y_b$  wherein Y is Cl, Br, I,  $NO_3$ , or  $SO_4$ , b is about 0.8 to about 4, and p is in the valence of Y.

19. (Cancelled).

20. (Previously Presented) The product of claim 17, wherein the first composition or the second composition is in the form of a lengthwise-extending stripe extending approximately from a first end of the application surface to a second end of the application surface.

21. (Previously Presented) The product of claim 18, wherein the first composition comprises at least 6 USP weight percent of the antiperspirant salt and the second composition comprises at least 6 USP weight percent of the antiperspirant salt.

22. (Cancelled).

23. (Original) The product of claim 17, wherein the volatile silicone is a cyclomethicone.

24. (Currently Amended) A product for underarm application, the product including an application surface that contacts the underarm during use of the product, the product comprising a container, and

a first product portion having a first composition and a second product portion having a second composition different in color and firmness from the first composition within the container, the firmer portion providing support to the other portion when both portions are extended from the container, the first composition comprising a volatile silicone and the second composition comprising a volatile silicone and an aluminum-zirconium antiperspirant salt wherein the aluminum-zirconium antiperspirant salt includes mixtures or complexes of aluminum salts having the formula  $Al_2(OH)_{6-a}X_a$  wherein X is Cl, Br, I or  $NO_3$  and a is about 0.3 to about 5, and zirconium salts having the formula  $ZrO(OH)_{4-pb}Y_b$  wherein Y is Cl, Br, I,  $NO_3$ , or  $SO_4$ , b is about 0.8 to about 4, and p is in the valence of Y, the application surface consisting of the composition and the second composition.

25. (Previously Presented) The product of claim 24, wherein the first composition further comprises an aluminum-zirconium antiperspirant salt, wherein the aluminum-zirconium antiperspirant salt includes mixtures or complexes of aluminum salts having the formula  $Al_2(OH)_{6-a}X_a$  wherein X is Cl, Br, I or  $NO_3$  and a is about 0.3 to about 5, and zirconium salts having the formula  $ZrO(OH)_{4-pb}Y_b$  wherein Y is Cl, Br, I,  $NO_3$ , or  $SO_4$ , b is about 0.8 to about 4, and p is in the valence of Y.

26. (Cancelled).

27. (Previously Presented) The product of claim 25, wherein the second composition is in the form of a lengthwise-extending stripe extending approximately from a first end of the application surface to a second end of the application surface.

28. (Previously Presented) The product of claim 24, wherein the first composition comprises at least 6 USP weight percent of the antiperspirant salt and the second composition comprises at least 6 USP weight percent of the antiperspirant salt.

29. (Cancelled).

30. (Original) The product of claim 24, wherein said volatile silicone is a cyclomethicone.

31. (Currently Amended) A product for underarm application, the product including an application surface that contacts the underarm during use of the product, the product comprising a container, and

a first product portion having a first composition and a second product portion having a second composition different in color and firmness from the first composition within the container, the firmer portion providing support to the other portion when both portions are extended from the container, the first composition comprising a high melting wax and a second composition comprising a high melting wax and an antiperspirant salt, the first composition and the second composition each independently comprising at least 15% of the application surface.

32. (Previously Presented) The product of claim 31, wherein the first composition further comprises an antiperspirant salt.

33. (Previously Presented) The product of claim 31, wherein the antiperspirant salt is an aluminum-zirconium antiperspirant salt, wherein the aluminum-zirconium antiperspirant salt includes mixtures or complexes of aluminum salts having the formula  $Al_2(OH)_{6-a}X_a$  wherein X is Cl, Br, I or  $NO_3$  and a is about 0.3 to about 5, and zirconium salts having the formula  $ZrO(OH)_4$ ,  $p_b Y_b$  wherein Y is Cl, Br, I,  $NO_3$ , or  $SO_4$ , b is about 0.8 to about 4, and p is in the valence of Y.

34. (Previously Presented) The product of claim 31, wherein the first composition or the second composition is in the form of a lengthwise-extending stripe extending approximately from a first end of the application surface to a second end of the application surface.

35. (Previously Presented) The product of claim 32, wherein the first composition comprises at least 6 USP weight percent of the antiperspirant salt and the second composition comprises at least 6 USP weight percent of the antiperspirant salt.

36. (Cancelled).

37. (Currently Amended) A product for underarm application, the product including an application surface that contacts the underarm during use of the product, the product comprising

a container, and

a first product portion having a first composition and a second product portion having a second composition different in color and firmness from the first composition within the container, the firmer portion providing support to the other portion when both portions are extended from the container, the first composition comprising a high melting wax and the second composition comprising a high melting wax and an antiperspirant salt, the application surface consisting of the first composition and the second composition.

38. (Previously Presented) The product of claim 37, wherein the first composition further comprises an antiperspirant salt.

39. (Previously Presented) The product of claim 37, wherein the antiperspirant salt is an aluminum-zirconium antiperspirant salt, wherein the aluminum-zirconium antiperspirant salt includes mixtures or complexes of aluminum salts having the formula  $Al_2(OH)_{6-a}X_a$  wherein X is Cl, Br, I or  $NO_3$  and a is about 0.3 to about 5, and zirconium salts having the formula  $ZrO(OH)_4$   $_{pb}Y_b$  wherein Y is Cl, Br, I,  $NO_3$ , or  $SO_4$ , b is about 0.8 to about 4, and p is in the valence of Y.

40. (Previously Presented) The product of claim 37, wherein the first composition or the second composition is in the form of a lengthwise-extending stripe extending approximately from a first end of the application surface to a second end of the application surface.

41. (Previously Presented) The product of claim 38, wherein the first composition and the second composition each comprises at least 6 USP weight percent of the antiperspirant salt.

42. (Cancelled).

43. (Currently Amended) A product for underarm application, the product including an application surface that contacts the underarm during use of the product, the product comprising

a container, and

a first product portion having a first composition and a second product portion having a second composition different in color and firmness from the first composition within the

container, the second portion providing support to the first portion when both portions are extended from the container, the first composition comprising from 0% to 5% by weight of a hydrophilic vehicle and the second composition comprising from 0% to 5% by weight of a hydrophilic vehicle and an aluminum-zirconium antiperspirant salt, wherein the aluminum-zirconium antiperspirant salt includes mixtures or complexes of aluminum salts having the formula  $Al_2(OH)_{6-a}X_a$  wherein X is Cl, Br, I or  $NO_3$  and a is about 0.3 to about 5, and zirconium salts having the formula  $ZrO(OH)_{4-pb}Y_b$  wherein Y is Cl, Br, I,  $NO_3$ , or  $SO_4$ , b is about 0.8 to about 4, and p is in the valence of Y, the first composition and the second composition each independently comprising at least 15% of the application surface.

44. (Previously Presented) The product of claim 43, wherein the first composition further comprises an aluminum-zirconium antiperspirant salt, wherein the aluminum-zirconium antiperspirant salt includes mixtures or complexes of aluminum salts having the formula  $Al_2(OH)_{6a}X_a$  wherein X is Cl, Br, I or  $NO_3$  and a is about 0.3 to about 5, and zirconium salts having the formula  $ZrO(OH)_{4-pb}Y_b$  wherein Y is Cl, Br, I,  $NO_3$ , or  $SO_4$ , b is about 0.8 to about 4, and p is in the valence of Y.

45. (Cancelled).

46. (Original) The product of claim 43, wherein the first composition or the second composition is in the form of a lengthwise-extending stripe extending approximately from a first end of the application surface to a second end of the application surface.

47. (Previously Presented) The product of claim 44, wherein the first composition comprises at least 6 USP weight percent of the antiperspirant salt and the second composition comprises at least 6 USP weight percent of the antiperspirant salt.

48-49. (Cancelled).

50. (Currently Amended) A product for underarm application, the product including an application surface that contacts the underarm during use of the product, the product comprising a container, and

a first product portion having a first composition and a second product portion having a second composition different in color and firmness from the first composition within the container, the firmer portion providing support to the other portion when both portions are extended from the container, the first composition comprising from 0% to 5% by weight of a hydrophilic vehicle and an aluminum-zirconium antiperspirant salt, wherein the aluminum-

zirconium antiperspirant salt includes mixtures or complexes of aluminum salts having the formula  $\text{Al}_2(\text{OH})_{6-a}\text{X}_a$  wherein X is Cl, Br, I or  $\text{NO}_3$  and a is about 0.3 to about 5, and zirconium salts having the formula  $\text{ZrO}(\text{OH})_{4-pb}\text{Y}_b$  wherein Y is Cl, Br, I,  $\text{NO}_3$ , or  $\text{SO}_4$ , b is about 0.8 to about 4, and p is in the valence of Y, the application surface consisting of the first composition and the second composition.

51. (Previously Presented) The product of claim 50, wherein the first composition further comprises an aluminum-zirconium antiperspirant salt, wherein the aluminum-zirconium antiperspirant salt includes mixtures or complexes of aluminum salts having the formula  $\text{Al}_2(\text{OH})_{6-a}\text{X}_a$  wherein X is Cl, Br, I or  $\text{NO}_3$  and a is about 0.3 to about 5, and zirconium salts having the formula  $\text{ZrO}(\text{OH})_{4-pb}\text{Y}_b$  wherein Y is Cl, Br, I,  $\text{NO}_3$ , or  $\text{SO}_4$ , b is about 0.8 to about 4, and p is in the valence of Y.

52. (Cancelled).

53. (Previously Presented) The product of claim 50, wherein the first composition or the second composition is in the form of a lengthwise-extending stripe extending approximately from a first end of the application surface to a second end of the application surface.

54. (Previously Presented) The product of claim 51, wherein the first composition comprises at least 6 USP weight percent of the antiperspirant salt and the second composition comprises at least 6 USP weight percent of the antiperspirant salt.

55-56. (Cancelled).

57. (Currently Amended) A product for underarm application, the product including an application surface that contacts the underarm during use of the product, the product comprising a container, and

a first product portion having a first composition and a second product portion having a second composition different in color and firmness from the first composition within the container, the firmer portion providing support to the other portion when both portions are extended from the container, the first composition having composition at least 10% by weight of a hydrophilic vehicle and an antiperspirant salt selected from the group consisting of aluminum salts having the formula  $\text{Al}_2(\text{OH})_{6-a}\text{X}_a$  wherein X is Cl, Br, I or  $\text{NO}_3$  and a is about 0.3 to about 5, and aluminum-zirconium salts including mixtures or complexes of aluminum salts having the formula  $\text{Al}_2(\text{OH})_{6-a}\text{X}_a$  and zirconium salts having the formula  $\text{ZrO}(\text{OH})_{4-pb}\text{Y}_b$  wherein Y is Cl, Br, I,  $\text{NO}_3$ , or  $\text{SO}_4$ , b is about 0.8 to about 4, and p is in the valence of Y, and the second



composition comprising at least 10% by weight of a hydrophilic vehicle and an antiperspirant salt selected from the group consisting of aluminum salts having the formula  $Al_2(OH)_{6-a}X_a$  wherein X is Cl, Br, I or  $NO_3$  and a is about 0.3 to about 5, and aluminum-zirconium salts including mixtures or complexes of aluminum salts having the formula  $Al_2(OH)_{6-a}X_a$  and zirconium salts having the formula  $ZrO(OH)_{4-pb}Y_b$  wherein Y is Cl, Br, I,  $NO_3$ , or  $SO_4$ , b is about 0.8 to about 4, and p is in the valence of Y.

58-60. (Cancelled).

61. (Previously Presented) The product of claims 1, 9, or 16, wherein the first composition comprises at least 10% by weight of a polyhydric alcohol and a dibenzylidene alditol and wherein the antiperspirant salt is dissolved in the polyhydric alcohol, and wherein the second composition also comprises at least 10% by weight of a polyhydric alcohol and a dibenzylidene alditol.

62. (Cancelled).

63. (Previously Presented) The product of claim 57, wherein the first composition comprises a dibenzylidene alditol and wherein the hydrophilic vehicle comprises a polyhydric alcohol and the antiperspirant salt is dissolved in the hydrophilic vehicle.

64. (Previously Presented) The product of claim 63, wherein the second composition also comprises a dibenzylidene alditol and wherein the hydrophilic vehicle comprises a polyhydric alcohol.

65. (Currently Amended) A product for underarm application, the product including an application surface that contacts the underarm during use of the product, the product comprising a container, and

a first product portion having a first composition and a second product portion having a second composition different in color and firmness from the first composition within the container, the firmer portion providing support to the other portion when both portions are extended from the container, the first composition comprising at least 10% by weight of a polyhydric alcohol, a dibenzylidene alditol, and an antiperspirant salt and/or a deodorant active ingredient, and a second composition comprising at least 10% by weight of a polyhydric alcohol, a dibenzylidene alditol, and an antiperspirant salt and/or a deodorant active ingredient, both the first composition and the second composition forming part of the application surface, the first composition and/or the second composition being optically clear, and the first

composition and/or the second composition including an antiperspirant salt, wherein each antiperspirant salt independently is selected from the group consisting of aluminum salts having the formula  $Al_2(OH)_{6-a}X_a$  wherein X is Cl, Br, I or  $NO_3$  and a is about 0.3 to about 5, and aluminum-zirconium salts including mixtures or complexes of aluminum salts having the formula  $Al_2(OH)_{6-a}X_a$  and zirconium salts having the formula  $ZrO(OH)_{4-pb}Y_b$  wherein Y is Cl, Br, I,  $NO_3$ , or  $SO_4$ , b is about 0.8 to about 4, and p is in the valence of Y wherein Y is Cl, Br, I,  $NO_3$ , or  $SO_4$ , b is about 0.8 to about 4, and p is in the valence of Y.